



Matt Collection

600 X 1200MM



FEATURES

of our products



Fireproof
material



Highly resistant to
ultraviolet (UV) light



Superior mechanical
resistance



Low water
absorption



Colour
durability



Scratch
resistant



Dimensional
stability



Resistance to freezing
and thawing



Abrasion
resistant



Maximum fire
and heat resistance



Easy cleaning and
low maintenance



Stain
resistant

600 X 1200 MM



ONE
SIZE
MANY
POSSIBILITY

APPLICATIONS



Floor
Application



Wall
Application



Facing
System



Residential
Indoor



Public
Indoor



Heavy
Traffic

SURFACES

of our products

CARVING
COLLECTION

MATT
COLLECTION

TERRAZZO
COLLECTION

punch
COLLECTION

WOOD
COLLECTION

VENEER
COLLECTION

SPARKLE
COLLECTION

ORA
COLLECTION

DECOR & MORE
COLLECTION

600 X 1200 MM

Finish
MATT

Face
RANDOM

MATT ANTALIYA CREMA



Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT ANTALIYA GREY



Size :
600x1200mm
(24"x48")

APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT ANTALIYA NATURAL



Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT ANTALIYA SILVER



Size :
600x1200mm
(24"x48")

APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT APOLIS WHITE





Size :
600x1200mm
(24"x48")

APPLICATION AREAS



Finish MATT	Face RANDOM
-----------------------	-----------------------

MATT ASIAN GREY



Size :
600x1200mm
(24"x48")

APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT ASIAN NATURAL



Size :
600x1200mm
(24"x48")



APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT ASTON GREY



Size :
600x1200mm
(24"x48")

APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT ASTON WHITE




Size :
600x1200mm
(24"x48")

APPLICATION AREAS



Finish MATT	Face RANDOM
-----------------------	-----------------------

MATT CEMENTO BEIGE



Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT CEMENTO BRONZE



Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT CEMENTO BROWN




8.5mm

Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT CEMENTO COFFEE




8.5mm

Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT CEMENTO GREY




8.5mm

Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT CEMENTO LIGHT GREY



Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT CEMENTO OLIVA



Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT FLAKES BIANCO



Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT FLAKES BROWN




8.5mm

Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT FLAKES CREMA




8.5mm

Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT FLAKES DARK GREY



Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT FLAKES GREY




8.5mm

Size :
600x1200mm
(24"x48")


APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT FLAKES VERDE



Size :
600x1200mm
(24"x48")

APPLICATION AREAS



Finish
MATT

Face
RANDOM

MATT PRIZMA STATUARIO



Size :
600x1200mm
(24"x48")

APPLICATION AREAS



TECHNICAL SPECIFICATION

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP B1B	MEAN VALUE OF GSVT
Deviation in length & width	±0.6%	±0.3%
Deviation in thickness	±5.0%	±4.0%
Straightness in side	±0.5%	±0.1%
Rectangularity	±0.5%	±0.1%
Surface flatness	±0.5%	±0.2%
Color difference	Unaltered	No damage
Glossiness	As per mfg.	As per square
Water absorption	≤3%	≤3%
Modulus of rupture	Min. 35 N/mm ²	Min. 35 N/mm ²
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min.7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

PACKING DETAIL

Size	600x1200mm
Thickness (approx.)	9.0 mm
Pieces / Box	2 pcs.
Area / Box	1.44 sq. mtr.
Wt. / Box (approx.)	27 kgs.



Opp.CNG Pump, Jetpur Road, At. Bela, Morbi-363642

Gujarat, India

+91 70414 99999

export@adeleceramica.com

WWW.ADELECERAMICA.COM