


200 X 1000MM

# Choice Of Architect



15"x60" / 15"x80" / 15"x90" / 20"x100" / 20"x120"



200x  
1000MM | WOODEN  
Planks Tiles



8000





8001

200x  
1000MM | WOODEN  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8002



200x  
1000MM | **WOODEN**  
PLANK TILES



design  
poise



8003




8003


200x  
1000MM | **WOODEN**  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8004





8005



8005

200x  
1000MM | WOODEN  
Planks Tiles





8006

200x  
1000MM | WOODEN  
Planks Tiles



8007



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING

200x  
1000MM | WOODEN  
Planks Tiles



8008



200x  
1000mm | WOODEN  
PLANK TILES



design  
splendor





**8009**



**8010**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8011**



**8012**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



  
ADELE CERAMICA



8013

200x  
1000MM | WOODEN  
Planks Tiles



8014

200x  
1000MM | WOODEN  
Planks Tiles



**8015**



**8016**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING

200x  
1000MM | WOODEN  
Planks Tiles



8017







**8018**



**8019**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING

200x  
1000MM | WOODEN  
Planks Tiles



8020

  
ADELE CERAMICA





8021

200x  
1000MM | **WOODEN**  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8022

  
ADELE CERAMICA





8023



  
ADELE CERAMICA



8023

200x  
1000MM | WOODEN  
Planks Tiles



**8024**



**8025**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN




USE GROUTING FOR  
BETTER LAYING

200x  
1000MM | WOODEN  
Planks Tiles



8026



200x  
1000MM | **WOODEN**  
PLANK TILES



design  
splendor




  
**ADELE CERAMICA**



**8027**

200x  
1000MM | **WOODEN**  
Planks Tiles





8028

200x  
1000MM | WOODEN  
Planks Tiles



8029



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING





**8030**



**8031**



SUITABLE FOR  
WALL & FLOOR




BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



8032


200x 1000MM | **WOODEN** Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles




8033

  
ADELE CERAMICA



200x  
1000MM | WOODEN  
PLANK TILES



8034

design  
finesse



8034

200x  
1000MM | WOODEN  
Planks Tiles



**8035**



**8036**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE CROUTING FOR  
BETTER LAYING



**8037**



**8038**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING





**8039**

**200x  
1000MM** | **WOODEN  
Planks Tiles**



**8040**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE CROUTING FOR  
BETTER LAYING



8041



8042



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



8043

200x  
1000MM | WOODEN  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8044

  
ADELE CERAMICA





**8045**



**8046**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN




USE GROUTING FOR  
BETTER LAYING



8047

200x  
1000MM | WOODEN  
Planks Tiles



8048



8048

200x  
1000MM | WOODEN  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8049







**8050**



**8051**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



8052



8053



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE CRROUTING FOR  
BETTER LAYING



8054

200x  
1000MM | WOODEN  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8055

  
ADELE CERAMICA





8056



8057



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8058**



**8059**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES




RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING

200x  
1000MM | WOODEN  
PLANK TILES



8060

design  
finesse



8060

200x  
1000MM | WOODEN  
Planks Tiles



8061



8062



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



200x  
1000MM | WOODEN  
Planks Tiles



8063

  
ADELE CERAMICA





  
ADELE CERAMICA



8064

200x  
1000MM | WOODEN  
Planks Tiles



8065



8066



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING


200x  
1000MM | WOODEN  
Planks Tiles



8067

  
ADELE CERAMICA





  
ADELE CERAMICA



8068

200x  
1000MM | WOODEN  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8069

  
ADELE CERAMICA





  
ADELE CERAMICA



8070

200x  
1000MM | WOODEN  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8071

  
ADELE CERAMICA







8072



8073



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE CROUTING FOR  
BETTER LAYING



8074

200x  
1000MM | WOODEN  
Planks Tiles



**8075**



**8076**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING

200x  
1000MM | WOODEN  
Planks Tiles



8077

  
ADELE CERAMICA



200x  
1000MM | WOODEN  
Planks Tiles



8078

  
ADELE CERAMICA





8079

200x  
1000MM | WOODEN  
Planks Tiles

200x  
1000MM | WOODEN  
Planks Tiles



8080



200x  
1000MM | WOODEN  
PLANK TILES

design  
poise





  
ADELE CERAMICA



8081

200x  
1000MM | WOODEN  
Planks Tiles




200x  
1000MM | WOODEN  
Planks Tiles



8082

  
ADELE CERAMICA





**8083**

200x  
1000MM | **WOODEN**  
Planks Tiles



**8084**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8085**

200x  
1000MM | **WOODEN**  
Planks Tiles



**8086**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



8087



8088-TA



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8089-TA**



**8090-TA**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8091**



**8092-1612**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8093-1603**



**8094-1600**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8095**

200x  
1000MM | **WOODEN**  
Planks Tiles



**8096**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING





**8097**

**200x  
1000MM** | **WOODEN  
Planks Tiles**



**8098**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8099-1589**



**8100**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8101**

**200x  
1000MM** | **WOODEN  
Planks Tiles**



**8102**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8103**

**200x  
1000MM** | **WOODEN  
Planks Tiles**



**8104-1593**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES




RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8105-1614**



**8106-1616**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8107-1615**



**8108-1633**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8109**



**8110**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8111**



**8112**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING





**8113**



**8114**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8115**



**8116**



SUITABLE FOR  
WALL & FLOOR




BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8117**



**8118**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING



**8119-1575**

**200x  
1000MM** | **WOODEN  
Planks Tiles**



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERN



USE GROUTING FOR  
BETTER LAYING

200x  
1000MM

WOODEN  
Rectified Tiles

Technical  
Characteristics

low water  
absorption



colour  
stability



dimensional  
stability



abrasion  
resistant



stain  
resistant



fireproof  
material



superior  
mechanical  
resistance



highly  
uv  
resistant



resistance  
to freezing  
and thawing



highly  
scratch  
resistant



maximum  
resistance  
to fire  
and heat



suitable for  
constant  
contact  
with water



SUITABLE FOR  
WALL & FLOOR



BRIGHT FINISHING  
TILES



RANDOM  
PATTERNS



USE GROUTING FOR  
BETTER LAYING

## Technical Specification

Sr. No.	Property	International Std. ISO 13006/EN176 Group	Tiles Value	Method of Testing
1	Deviation in Length	+/- 0.6%	+/- 0.3%	ISO 10545 Pt2
2	Deviation in thickness	+/- 5%	+/- 3%	ISO 10545 Pt2
3	Straightness of sides	+/- 0.5%	+/- 0.1%	ISO 10545 Pt2
4	Rectaangularity	+/- 0.6%	+/- 0.2%	ISO 10545 Pt2
5	** Surface flatness	+/- 0.5%	+/- 0.2%	ISO 10545 Pt2
6	Water absorpation	< 2 - 4%	< 3 - 5%	ISO 10545 Pt3
7	* Mohs hardness	>6	>6	EN 101
8	Flexual Strenght	>35N/mm <sup>2</sup>	>40N/mm <sup>2</sup>	ISO 10545 Pt4
9	Abrasion resistance	>175/mm <sup>2</sup>	<144 mm <sup>3</sup>	ISO 10545 Pt6
10	**Skid resistance (friction Coefficient)	>0,4	> 0.4%	ISO 10545 Pt17
11	Breaking Strenght	1113 N	2800 N	ISO 10545 Pt4
12	Frost resistance	Frost Proof	Frost Proof	ISO 10545 Pt12
13	Chemical resistance	No Damage	No Damage	ISO 10545 Pt13
14	Thermal Shock resistance	No Damage	No Damage	ISO 10545 Pt9
15	Colour resistance	No Damage	No Damage	DIN 51094
16	Stain resistance	Resistance	Resistance	ISO 10545 -14
17	Moisture Expansion	NIL	NIL	ISO 10545 -10
18	** Glossiness	-	Min.80% reflection	Glossmeter
19	Resistance to Surface Abrasion (of tiles intended for use on Floors)	Abrasion Class Shall be specified by the manufacture	PEI Group V	ISO - 10545 - 7 IS : 13630 - 11

## PACKING DETAILS

Sr. No.	Size	No. of Tiles Per Box	Thickness	Coverage Area in sq.mt / Sq.ft	Approx Weight of Box
1	200x1000mm	5 Pcs.	9 to 9.2mm	1.00/ 10.76	19 kg

# ADELE CERAMICA

---

Opp.CNG Pump, Jetpur Road, At. Bela, Morbi-363642

Gujarat, India

+91 70414 99999

[export@adeleceramica.com](mailto:export@adeleceramica.com)

[WWW.ADELECERAMICA.COM](http://WWW.ADELECERAMICA.COM)