



1200x
2400 mm


ADELE CERAMICA

**SENSE OF
PERFECTION**





ADELE CERAMICA

WE CREATE
Colossal
PRODUCT RANGE

**1200
X
2400
mm**

MIGHTY SIZE

A floor made of large tiles makes any room up-to-date. The minimum width grout joints are used beautifully that makes your surface consistent with the rectified edges & sure gives utter elegance.




ILLUMINATING SPACES WITH THE GRAND SIZE
OF TILES AND ITS UNIQUE DESIGNS


1200x
2400mm

HIGH GLOSSY FINISH


→ 9mm thickness



GALAXY STATUARIO (BOOK MATCH) BOOK MATCH A+B




GRONZA WHITE BOOK MATCH A+B



ALTIMO WHITE (BOOK MATCH) BOOK MATCH A+B



COVELANO LASA (BOOK MATCH) BOOK MATCH A+B



1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness

-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range

*



BROCKEN BRECCIA (BOOK MATCH) BOOK MATCH A+B

* 



BRECCIA MONET BOOK MATCH A+B



* 



CHIFFON BEIGE BOOK MATCH A+B

*



BETHANY BLUE BOOK MATCH A+B






ALONZO BLUE 8 FACE BOOK MATCH



ELITE BLACK BOOK MATCH A+B



*Book Match Series



FLOOR & WALL : ALONZO BLUE






PATAGONIA BOOK MATCH BOOK MATCH A+B



EXXARO GREY BOOK MATCH A+B



*Book Match Series



FLOOR & WALL : PATAGONIA BOOK MATCH




1200x
2400mm



HIGH GLOSSY FINISH

→ 9mm thickness


-  Vastelle solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range





STATUARIO BELGIA (CONTINUE) 3 FACE CONTINUE




STATUARIO APYON 3 FACE CONTINUE



PACIFIC WHITE 4 FACE CONTINUE



EMBER WHITE 3 FACE CONTINUE




1200x
2400mm


HIGH GLOSSY FINISH

→ 9mm thickness



-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range




HOIST WHITE 3 FACE CONTINUE



GLORIOUS WHITE (CONTINUE) 3 FACE CONTINUE



ATLANTIC WHITE (CONTINUE) 2 FACE CONTINUE



IMPACT STATUARIO (CONTINUE) 3 FACE CONTINUE





1200x
2400mm

HIGH GLOSSY FINISH


→ 9mm thickness




BETEL WHITE 2 RANDOM



STATUARIO GOLD 3 RANDOM




- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



ATLANTIC WHITE 2 RANDOM



SUMMER WHITE 4 RANDOM





WALL : ATLANTIC WHITE | FLOOR : ATLANTIC WHITE



1200x
2400mm


HIGH GLOSSY FINISH

→ 9mm thickness

ADELE CERAMICA



SUMMER WHITE BOOK MATCH A+B



*Book Match Series



FLOOR & WALL : SUMMER WHITE

1200x
2400mm

HIGH GLOSSY FINISH

DECOR SERIES


9mm thickness



M 1001 1 RANDOM



*Dark High Glossy Series



WALL : M 1001

1200x
2400mm


HIGH GLOSSY FINISH

→ 9mm thickness




ALEX CALACATTA

3 RANDOM



ONYX LUXURY

3 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



ZED ONYX ICE

4 RANDOM



ZED ONYX CLASSIC

4 RANDOM



Ready To Load



Ready To Load



1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range




REGAL NATURAL 3 RANDOM



REGAL BEIGE 3 RANDOM



ELIZA BEIGE 3 RANDOM



VICTORIA BEIGE 4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness



TRAVENTINO CREMA

2 RANDOM



DYNA SUPREME

2 RANDOM



Ready To Load



FLOOR : DYNA SUPREME



1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness



LAVANET BEIGE 3 RANDOM



BERLIM BEIGE 2 RANDOM



- Versatile solutions
- Easier to lay
- Resistant to chemical
- Resistant to loads
- Resistant to stains
- Wide range



DEVCI CREMA 2 RANDOM



DEVCI GREY 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness



BRECCIA BEIGE 3 RANDOM



BRECCIA LAVA 2 RANDOM



FLOOR : BRECCIA BEIGE

1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness





ADELE CERAMICA



BRECCIA CAPRAIA 4 RANDOM



ARENA DUNE 2 RANDOM



PORTORO GOLD 2 RANDOM



PORTORO 2 RANDOM



*Dark High Glossy Series

*Dark High Glossy Series




1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness



SONATA WHITE 3 RANDOM



SONATA BRONZE 3 RANDOM



Vesselle solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



TITANIUM BROWN 3 RANDOM



TITANIUM NATURAL 3 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness



BIANCO LASA 2 RANDOM



LEVANTO BROWN 4 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains




Wide range



LEVANTO LIGHT 4 RANDOM



LEVANTO NATURAL 4 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH


→ 9mm thickness




ARMANI BEIGE 2 RANDOM




ARMANI GOLD 2 RANDOM



ARMANI GREY 2 RANDOM



ARMANI GRIS 2 RANDOM





WALL : ARMANI BEIGE & ARMANI GOLD | FLOOR : ARMANI BEIGE

1200x
2400mm


HIGH GLOSSY FINISH

→ 9mm thickness


-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range




FOREST BROWN 2 RANDOM



TOPAZ BROWN 1 RANDOM



PATAGONIA 3 RANDOM



EXOTIC WHITE 2 RANDOM



1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness

-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range



TURKE LANA 1 RANDOM



CRISTAN STONE 2 RANDOM



ICE BERG BLUE 3 RANDOM



ARISTONE CEROBE 2 FACE CONTINUE



1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness

-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range




TRAVENTINO BEIGE

1 RANDOM




SEMOND PAUL

2 RANDOM




TRIESTA NOIR

3 RANDOM



RAINBOW BROWN

2 RANDOM



1200x
2400mm


HIGH GLOSSY FINISH

→ 9mm thickness


-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range





BLACK RIVER 4 RANDOM



AZUL CIELO 3 RANDOM



NERO MARQUINA 3 RANDOM



SAHARA BLACK 2 RANDOM




1200x
2400mm

HIGH GLOSSY FINISH

→ 9mm thickness




NARDO GREY 2 RANDOM



*



PALETHORN 3 RANDOM



FLOOR & WALL : NARDO GREY

*Dark High Glossy Series




1200x
2400mm

RUSTIC MATT FINISH


→ 9mm thickness



SUMMER WHITE 4 RANDOM



REGAL NATURAL 3 RANDOM



-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range


RT



ORION CREMA 4 RANDOM



ORION WHITE 4 RANDOM



RT Ready To Load

1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



RIZ CEDAR 2 RANDOM



RIZ SILVER 2 RANDOM




-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range



CAPRON CREMA 3 RANDOM



CAPRON GREY 3 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

→ 9mm thickness



MEXICO SIENNA 4 RANDOM

MEXICO LIGHT 4 RANDOM



Ready To Load



Versatile solutions



Easier to lay



Resistant to chemical




Resistant to foods



Resistant to stains



Wide range



TUNA ROCK ICE 2 RANDOM


TUNA ROCK GREY 2 RANDOM



1200x
2400mm

RUSTIC MATT FINISH

9mm thickness



SENTILIA BROWN 1 RANDOM



DUST 4 RANDOM




-  Versatile solutions
-  Easier to lay
-  Resistant to chemical
-  Resistant to loads
-  Resistant to stains
-  Wide range

60



MILANO SILVER 3 RANDOM



60



MILANO GREY 3 RANDOM



60 Ready To Load


1200x
2400mm

RUSTIC MATT FINISH


9mm thickness



CORTEX CEDAR 2 RANDOM



CORTEX AZURE 2 RANDOM



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads




Resistant to stains



Wide range



SANDUNE CAFE 1 RANDOM



ROOST WOOD 1 RANDOM



Ready To Load



*Decor Series

1200x
2400mm

RUSTIC MATT FINISH

DECOR SERIES

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains




Wide range



MULBERRY WOOD DECOR

1 RANDOM



LENOX WOOD

2 RANDOM



MEPAL WOOD BROWN

5 RANDOM



MEPAL WOOD

5 RANDOM



1200x
2400mm


CARVING FINISH → 9mm thickness



BURBERRY BEIGE 2 RANDOM



BURBERRY BROWN 2 RANDOM



Versatile solutions

Easier to lay

Resistant to chemical

Resistant to loads

Resistant to stains

Wide range



Ready To Load



1200x
2400mm

CARVING FINISH

9mm thickness



STUCCO BEIGE 2 RANDOM



CORTEN BEIGE 2 RANDOM



FLOOR : STUCCO BEIGE



1200x
2400mm

CARVING FINISH

9mm thickness



Versatile solutions



Easier to lay



Resistant to chemicals



Resistant to loads





Resistant to stains




Wide range



RUBY QUARTZ SEAL 4 RANDOM



RUBY QUARTZ ASH 4 RANDOM



LURENT BROWN 5 RANDOM



LURENT BLUE 5 RANDOM



1200x
2400mm

RICH SILK FINISH

→ 9mm thickness



BRECCIA MARINO LATTE 2 RANDOM



BRECCIA MARINO NATURAL 2 RANDOM



Ready To Load



Versatile solutions



Easier to lay



Resistant to chemical



Resistant to loads



Resistant to stains



Wide range



BRECCIA MARINO ASH 2 RANDOM



TECHNICAL SPECIFICATION OF ACCORD SLAB VITRIFIED TILE

| TEST DISCRIPTION | | | |
|--|----------------------------|---|--------------------------------|
| CHARACTERISTIC | TEST METHOD | STANDARD AS PER ISO-13006/EN14411 GROUP | |
| Deviation in Length | IS-13630-1 | ±0.50% | ±0.10% |
| Deviation in Width | IS-13630-1 | ±0.50% | ±0.10% |
| Deviation in Thickness | IS-13630-1 | ±5.00% | ±5.00% |
| Straightness of Sides | IS-13630-1 | ±0.50% | ±0.10% |
| Rectangularity | IS-13630-1 | ±0.60% | ±0.15% |
| Surface Flatness | IS-13630-1 | ±0.50% | ±0.20% |
| Surface Quality | IS-13630-1 | Min. 95% | Min. 95% |
| PHYSICAL PROPERTIES | | | |
| Water Absorption | IS-13630-2 | ≤0.50% | ≤0.50% |
| Modulus of Rapture(N/mm ²) | IS-13630-6 | Min. 35N/mm ² | Min. 37N/mm ² |
| Breaking Strength(N) | IS-13630-6 | < 7.5mm-700N ≥ 7.5mm-1300N | ≥ 7.5mm-1000N ≥ 7.5mm-1400N |
| Moisture Expansion(mm/m) | IS-13630-3 | 0.06 Max | 0.01 Max |
| Scratch Hardness of Surface | IS-13630-13 | Min. 4 | Min. 4 |
| Resistance of Surface Abrasion(Glazed Tiles) | IS-13630-11 | As per Mfg. | Class II Min. |
| Co-Efficient of Linear Thermal Expansion | IS-13630-4 | As per Mfg. | 6.5x10 ⁻⁶ Max. |
| Thermal Shock Resistance | IS-13630-5 | 10 Cycles Min. | 10 Cycles Min. |
| Crazing Resistance | IS-13630-9 | As per Mfg. | 5 Cycles at 7.5Bar Pressure |
| Impact Resistance-Coefficient of Restitution | IS-13630-14 | As per Mfg. | 0.55 Min |
| Frost Resistance | IS-13630-10 | As per Mfg. | No Damage |
| Bulk Density (g/cc) | IS-13630-2 | >2.0 gm/vcc | >2.0 gm/vcc |
| CHEMICAL PROPERTIES | | | |
| Resistance of Staining | IS-13630-8 | Class I Min. | Class II |
| Resistance of Household Chemicals | IS-13630-8 | Class AA Min. | Class AA |
| Resistance to Acids & Alkalis | IS-13630-8 | As per Mfg. | Min. Class A |
| Slip Resistance | 150-13006/EN1444 Group B/A | As per Mfg. | As per Mfg. |

PACKING DETAIL

| No. | Size | Thickness (approx.) | Pieces/Box | Area/Box | Wt./Box (approx.) |
|-----|-------------|---------------------|------------|--------------|-------------------|
| 01 | 1200x2400mm | 9mm | 1 pcs. | 2.88 sq. mt. | 60 kg |



Opp.CNG Pump, Jetpur Road, At. Bela, Morbi-363642

Gujarat, India

+91 70414 99999

export@adeleceramica.com

WWW.ADELECERAMICA.COM